

UP TO
60% Faster
Installation
for commercial PV systems

Sunny Tripower CORE1

It stands on its own

ENERGY
THAT
CHANGES



SUNNY TRIPOWER CORE1 STANDS FOR COMMERCIAL SOLAR

A global solution optimized for all commercial applications

..... 1 **SCALABILITY WITH MAXIMUM ENERGY HARVEST**

Multiple 1,000 VDC power classes provide the ideal building blocks with scalability up to the MW range, and versatility for any commercial PV system challenge, including repowering legacy 600 VDC systems. ShadeFix, SMA's proprietary shade management technology, optimizes at the string level which ensures optimum energy production in any application or shading situation.



..... 2 **HIGHLY INTEGRATED**

The compact yet fully integrated design allows integrators to save logistical, labor and material costs. Along with 12 direct string inputs, the CORE1 also includes DC and AC disconnects as well as optional DC and AC surge protection.

..... 3 **COST EFFECTIVE**

The CORE1 needs no racking on roof-mount systems and very minimal, highly simplified racking in other commercial applications. This results in additional cost savings due to the reduction in field labor, time and materials.

Sunny Tripower CORE1 is the world's first standing PV inverter for commercial rooftops, carports and ground-mount solar projects. The innovative new design offers up to 60% faster installation while delivering optimized total cost of ownership.

4

FUTURE-PROOF CONNECTIVITY

In combination with the Sunny Portal powered by the award-winning ennexOS, the Data Manager M optimizes communication, monitoring and control of PV systems. It is both easily expandable and well equipped to address the energy trading business models of the future, opening new revenue streams for system owners.



5

SPEED AND ACCESSIBILITY

Built in Wi-Fi access from any mobile device makes accessing the CORE1 easy and effective. Inverter configuration and commissioning is simplified with SMA's web-based assistant, which accelerates installation and saves installers' valuable time.

6

BEST-IN-CLASS SAFETY

Integrated SunSpec PLC (power line communication) signal communicates with SunSpec certified rapid shutdown devices for simple compliance to 2017 NEC. Next-gen DC AFCI arc-fault protection certified to new Standard UL 1699B.



COMPACT POWER FOR COMMERCIAL ROOFTOPS, CARPORTS AND GROUND-MOUNT PROJECTS

The versatile solution with maximum return on investment





Sunny Tripower CORE1. The superior way to get your projects up and running

As the third generation of SMA's industry-leading Sunny Tripower product line, the CORE1 revolutionizes the commercial inverter category. Its innovative engineering approach is built on a foundation that includes a groundbreaking form factor and inventive mounting method whose goals are to speed installation and achieve the most economical return on investment for all parties involved.

Whether it's a rooftop, carport, MW scale ground-mount or repowering legacy 600 VDC system, the CORE1 is the most versatile, cost-effective commercial solution available. From distribution to construction to operation, the Sunny Tripower CORE1 enables logistical, material, labor and service cost reductions.



SUNNY TRIPOWER CORE1 FOR DISTRIBUTORS

Product ordering, stocking and logistics have all been simplified thanks to the CORE1's maximum level of integration. Additional cost savings are achieved with:

- One product for various commercial applications
- Global platform for universal deployment
- Reduced part numbers and balance-of-system components
- Unmatched support and service



SUNNY TRIPOWER CORE1 FOR EPCS AND DEVELOPERS

Procurement, installation and field labor costs must be reduced to maintain margins, so that's precisely what's driven the development of the CORE1. Benefit from:

- Reduced material costs
- SunSpec PLC compatibility
- Accelerated installation and decreased labor
- Options for repowering



SUNNY TRIPOWER CORE1 FOR SYSTEM OWNERS

SMA understands that lifetime cost of ownership and uninterrupted performance are paramount among system owners. That's why the CORE1 delivers:

- Optimized LCOE
- Proactive O&M solution with SMA Smart Connected
- 24/7 remote monitoring from the world's #1 service team
- Intelligent grid management

WHAT IS SMART CONNECTED?

Powered by the award-winning ennexOS, SMA Smart Connected is a proactive O&M solution that can cut truck rolls in half and save up to \$6 million in service costs across the lifetime of a 100 MW portfolio.

ennexOS
CROSS SECTOR ENERGY MANAGEMENT



1. Time and labor savings

Installers benefit from this proactive, streamlined service solution in a variety of ways.

- a. SMA will actively monitor the system at all times, so the installer can focus on other tasks
- b. SMA Smart Connected can automatically initiate the repair or replacement process, circumventing calls from system owners that can sap productivity and threaten referral business



2. Increase productivity and profit

SMA Smart Connected can positively affect an installer's bottom line well after installation and throughout the lifetime of the system.

- a. Truck rolls can be cut in half, allowing more time for revenue-generating activity including business development and new installations
- b. Satisfied customers who receive proactive service solutions are far more likely to generate referral business



3. Maximum power production

System owners benefit from fast resolution, hassle-free repair and SMA's track record of reliability.

- a. SMA Smart Connected can notify an installer of any service needs often before the system owner even notices an interruption in energy production
- b. If needed, seamless repair or replacement of the inverter is completed without the need to coordinate multiple installer visits



4. Investment security

SMA stands alone in providing the highest level of service for both installers and system owners, and has the stats to prove it.

- a. SMA is the largest, most experienced PV service provider with 35+ years of experience and 90+ GW in operation worldwide
- b. SMA has been voted #1 by IHS Research in terms of most preferred service and warranty support

SUNNY TRIPOWER CORE1 IT STANDS ON ITS OWN

Innovative design for the most economical solution



SUNNY TRIPOWER
CORE1



Dimensions: 621 mm / 733 mm / 569 mm (24.4 in x 28.8 in x 22.4 in)
Weight: 84 kg (185 lbs)





ENERGY
THAT
CHANGES



www.SMA-America.com

SOCIAL MEDIA

www.SMA-America.com/Newsroom



STPC0K1_BROCHURE_A-en-27 SMA and Sunny Tripower are registered trademarks of SMA Solar Technology AG. Printed on FSC-certified paper. All products and services described as well as technical data are subject to change, even for reasons of country-specific deviations, at any time without notice. SMA assumes no liability for errors or omissions. For current information, see www.SMA-Solar.com.